

## EAST Search History

| Ref # | Hits  | Search Query   | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|-------|--|--|------------------|---------|------------------|
| S1    | 7     | ("6014670" "6339775" "2002038450").pn.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/01/06 15:25 |
| S2    | 23757 | (develop\$4 same data same model)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/03/27 11:50 |
| S4    | 102   | (develop\$4 same data same model) and (predefin\$4 same transform\$4)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/03/27 10:07 |
| S5    | 28    | (develop\$4 same data same model) and (predefin\$4 same transform\$4) and (raw same data)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/01/04 13:54 |
| S6    | 17    | (develop\$4 same data same model) and (predefin\$4 same transform\$4) and (raw same data) and table and variable\$4                                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/01/04 13:54 |
| S7    | 9     | ("20020038450" "20030061131" "20020083067" "20030115211" "20020174087" "20030120528" "6014670" "6339775" "6587857" "6604110").pn. and (data same min\$4) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/03/27 10:27 |
| S8    | 501   | 717/104-119.ccls. and (develop\$4 same data same model)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/01/04 13:55 |

## EAST Search History

|     |       |   |  |    |    |                  |
|-----|-------|---|--|----|----|------------------|
| S9  | 1211  | 707/100-200.ccls. and (develop\$4 same data same model)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/07/10 12:23 |
| S11 | 1     | S8 and S5   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/27 11:53 |
| S12 | 11    | S9 and S5   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/27 11:53 |
| S13 | 6     | (writ\$4 or generat\$4) same specific\$4 same data same model same operationally                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/27 14:09 |
| S14 | 12767 | (generat\$4 or develop\$4) same (data near2 model)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/27 14:09 |
| S15 | 1801  | (generat\$4 or develop\$4) same (data near2 model) and (raw same data)                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/27 14:37 |
| S16 | 219   | (generat\$4 or develop\$4) same (data near2 model) and (raw same data) and (variable same prediction) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/27 14:11 |

## EAST Search History

|     |    |  |  |    |    |                  |
|-----|----|--|--|----|----|------------------|
| S17 | 12 | (generat\$4 or develop\$4) same (data near2 model) and (raw same data) and (variable same prediction) and deploy\$4 and (mathemat\$4 same relation\$4) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/07/10 12:16 |
| S18 | 0  | (generat\$4 or develop\$4) same (data near2 model) and (raw same data) and (re adj usable same set same instructions)                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/27 14:38 |
| S19 | 3  | (generat\$4 or develop\$4) same (data near2 model) and (raw same data) and (reusable same set same instructions)                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/04 14:13 |
| S20 | 1  | (reusable same set same instructions).ti.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/27 14:40 |
| S21 | 8  | (reusable same instructions).ti.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/27 14:56 |
| S22 | 1  | (reusable same instructions).ti.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>IBM_TDB             | OR | ON | 2007/03/27 14:42 |
| S23 | 2  | "20050071850".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/03/27 14:56 |

## EAST Search History

|     |      |  |  |    |    |                  |
|-----|------|--|--|----|----|------------------|
| S24 | 2    | 717/104-119.ccls. and (develop\$4 same data same model) and (data same base same table same reus\$4)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/04 13:54 |
| S25 | 12   | (generat\$4 or develop\$4) same (data near2 model) and (raw same data) and (variable same prediction) and deploy\$4 and (mathemat\$4 same relation\$4) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/07/10 13:46 |
| S26 | 1270 | 707/100-200.ccls. and (develop\$4 same data same model)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/05 15:19 |
| S27 | 3    | 707/100-200.ccls. and (develop\$4 same data same model) and (data same base same table same reus\$4)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/04 13:55 |
| S28 | 38   | (develop\$4 same data same model) and (predefin\$4 same transformat\$4) and (raw same data)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/04 13:54 |
| S29 | 19   | (develop\$4 same data same model) and (predefin\$4 same transformat\$4) and (raw same data) and table and variable\$4                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/04 13:54 |
| S32 | 2    | 717/104-119.ccls. and (develop\$4 same data same model) and (mathemat\$4 same relation\$4 same variable)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/04 13:56 |

## EAST Search History

|     |   |   |  |    |    |                  |
|-----|---|---|--|----|----|------------------|
| S33 | 1 | (generat\$4 or develop\$4) same (data near2 model) and (raw same data) and (reusable same set same instructions) and (mathemat\$4 same relation\$4 same variable) | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/04 14:14 |
| S34 | 6 | 707/100-200.ccls. and (develop\$4 same data same model) and (mathemat\$4 same relation\$4 same variable)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>FPRS;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/01/05 15:19 |